British Journal of Dermatology

Volume 145

July–December 2001

Published for the
British Association of Dermatologists
by Blackwell Science

British Journal of Dermatology

The *British Journal of Dermatology* is owned by and is the official organ of the British Association of Dermatologists.

EDITOR

DR R.A.C.GRAHAM-BROWN
Leicester Royal Infirmary, Department of Dermatology, Leicester LE1 5WW

EDITORIAL ADVISORY BOARD

U.K.

PROF. J.N.W.N.BARKER, *London*
DR S.M.BREATHNACH, *London*
PROF. R.D.R.CAMP, *Leicester*
DR N.H.COX, *Carlisle*
PROF. J.FERGUSON, *Dundee*
PROF. D.R.GARROD, *Manchester*
PROF. C.E.M.GRIFFITHS, *Manchester*
PROF. I.M.LEIGH, *London*
DR C.S.MUNRO, *Glasgow*
PROF. J.L.REES, *Edinburgh*
PROF. N.J.REYNOLDS, *Newcastle upon Tyne*
PROF. H.C.WILLIAMS, *Nottingham*

OVERSEAS

PROF. M.AMAGAI, *Tokyo, Japan*
PROF. W.M.H.EAGLSTEIN, *Miami, U.S.A.*
PROF. J.M.HANIFIN, *Oregon, U.S.A.*
PROF. S.I.KATZ, *Maryland, U.S.A.*
PROF. R.MARKS, *Melbourne, Australia*
PROF. Y.MIYACHI, *Kyoto, Japan*
DR N.PROSE, *Durham, U.S.A.*
PROF. J.R.STANLEY, *Pennsylvania, U.S.A.*
PROF. A.TAÏEB, *Bordeaux, France*
PROF. G.TODD, *Cape Town, South Africa*
PROF. P.C.M.VAN DE KERKHOF, *Nijmegen, the Netherlands*
PROF. K.WOLFF, *Vienna, Austria*
PROF. XUE-JUN ZHU, *Beijing, China*

SECTION EDITORS

DR D.J.EEDY, *Craigavon*
DR J.S.C.ENGLISH, *Nottingham*
DR R.W.GROVES, *London*
DR A.M.H.HEAGERTY, *Solihull*
DR W.H.I.McLEAN, *Dundee*
DR C.MOSS, *Birmingham*
DR G.M.MURPHY, *Dublin, Ireland*
DR A.D.ORMEROD, *Aberdeen*
DR D.N.SLATER, *Sheffield*
DR S.STEVENS, *Cleveland, OH, U.S.A.*

EDITORIAL MANAGER

MS I.TULLOCH
BAD Office, London

EDITORIAL CO-ORDINATOR

MR J.CAULFIELD
BAD Office, London

The *British Journal of Dermatology* publishes papers on all aspects of the biology and pathology of the skin. Originally the Journal, founded in 1888, was devoted almost exclusively to the interests of the dermatologist in clinical practice. However, the rapid development, since the 1950s, of research on the physiology and experimental pathology of the skin has been reflected in the contents of the Journal, which now provides a vehicle for the publication of both experimental and clinical ethical research and serves equally the laboratory worker and the clinician. From time to time the Journal publishes reviews, which are usually invited, of recent advances in laboratory or clinical research, contact dermatitis, therapeutics and drug reactions. Regular features include original articles, concise communications, case reports, book reviews, correspondence, news and notices, and selected society proceedings. The Journal is the official organ of the British Association of Dermatologists but it attracts contributions from all countries in which sound research is carried out, and its circulation is equally international.

Papers accepted become the copyright of the Journal and an assignment form must be signed. This Journal is covered by *Current Contents, ISI/BIOMED, Medline Science Citation Index, ASCA* and *CABS*.

SUBSCRIPTION INFORMATION. The *British Journal of Dermatology* is published monthly (2 volumes per annum) and the institutional subscription prices for 2001 are £520.00 (Europe), £572.00 (overseas except North America), $881.00 (U.S.A. and Canada). Personal rates are £121.00 (Europe), £132.00 (overseas except North America) and $204 (U.S.A. and Canada), in all cases post free. Subscribers in Canada must add 7% to the subscription price, to allow for GST. Subscribers in Europe must quote their VAT registration number or state that they are not registered. Subscribers in the following countries who are not VAT-registered must add VAT at the appropriate rate: Belgium 6% (TVA/BTW), France 2.1% (TVA), Germany 7%, (MWST), Spain 4% (IVA), the Netherlands 6% (BTW). Subscriptions are run on a calendar year basis, starting with the first issue of the year in all cases. Orders for current subscriptions and back issues should be sent to Blackwell Science Ltd, Journal Subscriptions, PO Box 88, Oxford OX2 0NE, U.K. Tel: +44 1865 206180 or 206038; fax: +44 1865 206219; e-mail: journals.cs@blacksci.co.uk; all other business correspondence, including orders for offprints and advertising space, should be addressed to Blackwell Science Ltd., Osney Mead, Oxford OX2 0EL (telephone no. +44 1865 206206; telex 83355 Medbok G; fax +44 1865 721205).

DESPATCH. The Journal is despatched within the U.K. by 2nd class post, within Europe by air mail, to other continents by various forms of air-speeded delivery; to the USA* by air freight for forwarding by second-class post, to India by air freight for guaranteed local delivery, and to all other countries by Accelerated Surface Post. Add to the cost of regular subscription £24.00/$36.00 for air mail delivery outside Europe.

*Periodicals postage paid at Rahway, NJ and additional mailing offices. Post Master, send address changes to *British Journal of Dermatology*, c/o Mercury Airfreight International Inc., 365 Blair Road, Avenel, NJ 07001, U.S.A.

COPYRIGHT AND PHOTOCOPYING © 2001 British Association of Dermatologists. Authorization to photocopy for internal or personal use or the internal or personal use of specific clients is granted by British Association of Dermatologists for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $15.00 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editor. The Blackwell Science logo is a trademark of Blackwell Science Ltd registered at the United Kingdom Trade Marks Registry. *British Journal of Dermatology* 0007-0963/00 $15.00.

This Journal is included in the ADONIS service, whereby copies of individual articles can be printed out from compact discs (CD-ROM) on demand. An explanatory leaflet giving further details of the scheme is available from the publishers on request.

The publisher's policy is to use acid-free permanent paper, to the draft standard ISO/DIS/9706, made from sustainable forests using chlorine-free pulp. The paper used in this Journal has an ECO-CHECK 4-star rating.

Typeset and printed by the Alden Group, Oxford.

Contents

Volume 145, Number 1, July

Editorial comment

1 Treating basal cell carcinoma: has photodynamic therapy come of age?
C.A.MORTON

Original articles

3 Topically applied lactic acid increases spontaneous secretion of vascular endothelial growth factor by human reconstructed epidermis
M.RENDL, C.MAYER, W.WENINGER AND E.TSCHACHLER

10 Glycation during human dermal intrinsic and actinic aging: an *in vivo* and *in vitro* model study
C.JEANMAIRE, L.DANOUX AND G.PAULY

19 Lipid analysis of follicular casts from cyanoacrylate strips as a new method for studying therapeutic effects of antiacne agents
A.THIELITZ, M.HELMDACH, E-M.RÖPKE AND H.GOLLNICK

28 A retrospective analysis of contact allergy to lanolin
S.H.WAKELIN, H.SMITH, I.R.WHITE, R.J.G.RYCROFT AND J.P.McFADDEN

32 Protective gloves in Swedish dentistry: use and side effects
K.WRANGSJÖ, L-M.WALLENHAMMAR, U.ÖRTENGREN, L.BARREGARD, H.ANDREASSON, B.BJÖRKNER, S.KARLSSON AND B.MEDING

38 Repetitive usage testing with budesonide in experimental nickel–allergic contact dermatitis in individuals hypersensitive to budenoside
M.ISAKSSON AND M.BRUZE

45 Immunohistochemical evaluation of psoriatic plaques following selective photothermolysis of the superficial capillaries
S.HERN, M.H.ALLEN, A.R.SOUSA, C.C.HARLAND, J.N.W.N.BARKER, J.R.LEVICK AND P.S.MORTIMER

54 Contrasting effects of an ultraviolet B and an ultraviolet A tanning lamp on interleukin-6, tumour necrosis factor-α and intercellular adhesion molecule-1 expression
P.H.CLINGEN, M.BERNEBURG, C.PETIT-FRÈRE, A.WOOLONS, J.E.LOWE, C.F.ARLETT AND M.H.L.GREEN

63 The influence of a topical corticosteroid on short-contact high-dose dithranol therapy
O.Q.J.SWINKELS, M.PRINS, E.F.A.TOSSERAMS, M.J.P.GERRITSEN, P.G.M.VAN DER VALK AND P.C.M.VAN DER KERKHOF

70 Double-blind placebo-controlled house dust mite control measures in adult patients with atopic dermatitis
C.GUTGESELL, S.HEISE, S.SEUBERT, A.SEUBERT, S.DOMHOF, E.BRUNNER AND C.NEUMANN

75 Photodynamic therapy with *meta*-tetrahydroxyphenylchlorin for basal cell carcinoma: a phase I/II study
P.BAAS, A.E.SAARNAK, H.OPPELAAR, H.NEERING AND E.A.STEWART

79 Both the flashlamp-pumped dye laser and the long-pulsed tunable dye laser can improve results in port-wine stain therapy
K.SCHERER, S.LORENZ, M.WIMMERSHOFF, M.LANDTHALER AND U.HOHENLEUTNER

85 High incidence of lichen sclerosus in patients with squamous cell carcinoma of the penis
J.POWELL, A.ROBSON, D.CRANSTON, E.WOJNAROWSKA AND R.TURNER

90 Linkage and association of HLA class II genes with vitiligo in a Dutch population
M.ZAMANI, M.SPAEPEN, S.S.SGHAR, C.HUANG, W.WESTERHOF, L.NIEUWEBOER-KROBOTOVA AND J.J.CASSIMAN

95 The prevalence and types of androgenetic alopecia in Korean men and women
J-H.PAIK, J-B.YOON, W-Y.SIM, B-S.KIM AND N-I.KIM

100 Epidemiology of acne in the general population: the risk of smoking
T.SCHÄFER, A.NIENHAUS, D.VIELUF, J.BERGER AND J.RING

105 Nodular localized primary cutaneous amyloidosis: a long-term follow-up study
A.WOOLLONS AND M.M.BLACK

Concise communications

110 Dissatisfaction with skin appearance among patients with eating disorders and non-clinical controls
M.A.GUPTA AND A.K.GUPTA

114 Identification of *Mycobacterium marinum* in sea-urchin granulomas
C.DE LA TORRE, A.VEGA, A.CARRACEDO AND J.TORIBIO

Case reports

117 A case of adult T-cell leukaemia/lymphoma characterized by multiplex-fluorescence *in situ* hybridization, comparative genomic hybridization, fluorescence *in situ* hybridization and cytogenetics
X.MAO, D.M.LILLINGTON, B.CZEPULKOWSKI, B.D.YOUNG, R.RUSSELL-JONES AND S.WHITTAKER

123 CD30+ lymphoproliferative disorder: primary cutaneous anaplastic large cell lymphoma followed by lymphomatoid papulosis
M.AOKI, Y.NIIMI, S.TAKEZAKI, A.AZUMA, M.SEIKE AND S.KAWANA

127 Paraneoplastic pemphigus. A report of two cases associated with chronic B-cell lymphocytic leukaemia
A.V.MARZANO, A.GRAMMATICA, E.COZZANI, M.TERRACINA AND E.BERTI

132 Pemphigus foliaceus with prominent neutrophilic pustules
K.MATSUO, A.KOMAI, K.ISHII, Y.FUTEI, M.AMAGAI, H.DEGUCHI, K.DANNO AND T.HASHIMOTO

137 Successful treatment of cutaneous Langerhans cells histiocytosis with low-dose methotrexate
A.E.STEEN, K.H.STEEN, R.BAUER AND T.BIEBER

141 Reticular erythematous mucinosis syndrome with an infiltration of factor XIIIa+ and hyaluronan synthase 2+ dermal dendrocytes
A.TOMINAGA, S.TAJIMA, A.ISHIBASHI AND K.KIMATA

146 Cowpox virus in a 12-year-old boy: rapid identification by an orthopoxvirus-specific polymerase chain reaction
P.SCHUPP, M.PFEFFER, H.MEYER, G.BURCK, K.KÖLMEL AND C.NEUMANN

151 Dermatophyte pseudomycetoma of the scalp: a case report and review
E.BOTTEREL, S.ROMAND, M.CORNET, G.RECANATI, B.DUPONT AND P.BOURÉE

154 Primary cutaneous nocardiosis due to *Nocardia nova* in a healthy woman
A.SHIMIZU, O.ISHIKAWA, Y.NAGAI, Y.MIKAMI AND K.NISHIMURA

157 Woolly hair, premature loss of teeth, nail dystrophy, acral hyperkeratosis and facial abnormalities: possible new syndrome in a Dutch kindred
M.A.A.M.VAN STEENSEL, M.I.KOEDAM, O.Q.SWINKELS, E.RIETVELD AND P.M.STEIJLEN

162 Granulomatous variant of chronic pigmented purpuric dermatosis: a report of two cases
W-R.WONG, T-T.KUO, M-J.CHEN AND H-L.CHAN

165 Necrotizing infundibular crystalline folliculitis
S.KOSSARD, J.SCURRY AND M.KILLINGSWORTH

Correspondence

169 Effective removal of sea-urchin spines by erbium: YAG laser ablation
A.BÖER, E.R.OCHSENDORF, C.BEIER AND R.KAUFMANN

170 Human dermatophilosis mimicking ringworm
M.HARMAN, S.SEKIN AND S.AKDENIZ

171 Novel intracytoplasmic inclusion bodies in human papillovirus-associated warts
T.MITSUISHI, M.KAWASHIMA, K.EGAWA AND T.SATA

173 Acquired perforating collagenesis: is it due to damage by scratching?
S.THEILE-OCHE, L-A.SCHNEIDER, K.REINHOLD, N.HUNZELMANN, T.KRIEG AND K.SCHARFFETTER-KOCHANEK

174 Treatment of acquired reactive perforating collagenesis with allopurinol
K.QUERINGS, B-R.BALDA AND D.BACHTER

176 An alopecic phenotype of canine pemphigus vulgaris?
T.OLIVRY AND H.A.JACKSON

178 The use of two substrates for indirect immunofluorescence in the diagnosis of pemphigus
M.JARZBEK-CHORZELSKA, Z.STRASZ-KOACISKA, J.SULEJ AND S.JABLONSKA

181 The use of two substrates for indirect immunofluorescence in the diagnosis of pemphigus: reply from authors
K.E.HARMAN, M.J.GRATIAN, B.S.BHOGAL, S.J.CHALLACOMBE AND M.M.BLACK

182 γ-Gliadin: a presumptive allergen causing wheat-dependent exercise-induced anaphylaxis
E.MORITA, Y.KAMEYOSHI, S.MIHARA, T.HIRAGUN AND S.YAMAMOTO

184 Systems dermatology and clinical dermatological research
A.OIKARINEN

185 Cutaneous malignancy in arsenicosis
K.C.SAHA

185 Antioxidant characteristics of chronic wound fluid
T.J.JAMES, M.A.HUGHES, D.HOFMAN, G.W.CHERRY AND R.P.TAYLOR

187 Atypical presentation of adult Still's disease with generalized rash and hyperferritinaemia
C.PEREZ, M.MONTES, M.GALLEGO AND E.LOZA

188 Linear focal elastosis
D.RAMLOGAN, B.B.TAN AND M.GARRIDO

190 Book Reviews

191 News and Notices

Volume 145, Number 2, August

Editorial comment

193 The value of reverse transcription-polymerase chain reaction in malignant melanoma
R.RUSSELL-JONES

Original articles

195 Detection of melanoma cells in sentinel lymph nodes, bone marrow and peripheral blood by a reverse transcription-polymerase chain reaction assay in patients with primary cutaneous melanoma: association with Breslow's tumour thickness
H-J.BLAHETA, T.PAUL, K.SOTLAR, E.MACZEY, B.SCHITTEK, A.PAUL, M.MOEHRLE, H.BREUNINGER, B.BUELTMANN, G.RASSNER AND C.GARBE

203 Prognostic immunohistochemical markers of primary human melanomas
H.OSTMEIER, B.FUCHS, F.OTTO, R.MAWICK, A.LIPPOLD, V.KRIEG AND L.SUTER

210 Loss of β-catenin expression associated with disease progression in malignant melanoma
T.KAGESHITA, C.V.HAMBY, T.ISHIHARA, K.MATSUMOTO, T.SAIDA AND T.ONO

217 Increased deposition of fibulin-2 in solar elastosis and its colocalization with elastic fibres
N.HUNZELMANN, R.NISCHT, P.BRENNEISEN, A.EICKERT AND T.KRIEG

223 Patterns of basal cell keratin 14 expression in Bowen's disease: a possible marker for tumour progression
M.KOMINE, M.OKINAGA, T.TAKEDA, K.NASHIRO, K.KIKUCHI, T.MURAKAMI, Y.SOMA AND K.TAMAKI

229 A candidate gene analysis of three photosensitivity disorders: cutaneous lupus erythematosus, polymorphic light eruption and actinic prurigo
T.P.MILLARD, E.KONDEATIS, A.COX, A.G.WILSON, S.A.GRABCZYNSKA, B.S.CAREY, C.M.LEWIS, M.A.KHAMASHTA, G.W.DUFF, G.R.V.HUGHES, J.L.M.HAWK, R.W VAUGHAN AND J.M.McGREGOR

237 Effects of solar-simulated radiation dose fractionation on CD1a+ Langerhans cells and CD11b+ macrophages in human skin
L.NOVAKOVIC, S.LEE, G.E.ORCHARD, J.M.SHEEHAN, A.R.YOUNG AND S.L.WALKER

245 Contrasting patterns of streptococcal superantigen-induced T-cell proliferation in guttate vs. chronic plaque psoriasis
S.C.DAVISON, M.H.ALLEN, E.MALLON AND J.N.W.N.BARKER

252 Epidermal proliferative response induced by sodium dodecyl sulphate varies with environmental humidity
M.DENDA

258 Sensitive skin: an epidemiological study
C.M.WILLIS, S.SHAW, O.DE LACHARRIERE, M.BAVEREL, L.REICHE, R.JOURDAIN, P.BASTIEN AND J.D.WILKINSON

264 Ointment is evenly spread on the skin, in contrast to creams and solutions
U.LIVENS, B.STEINKJER, J.SERUP AND V.TETENS

268 The significance of fragrance mix, balsam of Peru, colophony and propolis as screening tools in the detection of fragrance allergy
S.WÖHRL, W.HEMMER, M.FOCKE, M GÖTZ AND R.JARISCH

274 Acne prevalence, knowledge about acne and psychological morbidity in mid-adolescence: a community-based study
A.SMITHARD, C.GLAZEBROOK AND H.C.WILLIAMS

280 The importance of serum creatine phosphokinase level in the early diagnosis, and as a prognostic factor, of *Vibrio vulnificus* infection
J.NAKAFUSA, N.MISAGO, Y.MIURA, M.KAYABA, T.TANAKA AND Y.NARISAWA

285 Diagnostic impact and sensitivity of skin biopsies in Sneddon's syndrome. A report of 15 cases
J.WOHLRAB, M.FISCHER, M.WOLTER AND W.C.MARSCH

289 Treatment of focal hyperhidrosis with botulinum toxin type A: long-term follow-up in 61 patients
P.SCHNIDER, E.MORARU, H.KITTLER, M.BINDER, G.KRANZ, B.VOLLER AND E.AUFF

294 African hair growth parameters
G.LOUSSOUARN

Concise communications

298 Ultrastructure of the hyperhidrotic eccrine sweat gland
D.L.BOVELL, M.T.CLUNES, H.Y.ELDER, J.MILSOM AND D.McEWAN JENKINSON

302 *Staphylococcus aureus* enterotoxins induce histamine and leukotriene release in patients with atopic eczema
J.WEHNER AND K.NEUBER

Case reports

306 Koebner phenomenon due to scratch test in scleromyxoedema
B.K.DURANI, H.KURZEN, W.HARTSCHUH AND H.NAEHER

309 Cutaneous mastocytosis associated with a mixed germ cell tumour of the ovary: report of a case and review of the literature
S.MIYAGAWA, S.HIROTA, Y-D.PARK, M.YAMASAKI, N.DAIKOKU, H.MORIKAWA, A.YOSHIOKA, Y.KITAMURA AND K.ICHIJIMA

313 Spindle-cell B-cell lymphoma presenting in the skin
J.R.GOODLAD

318 Lymphomatoid papulosis with a natural killer-cell phenotype
M.W.BEKKENK, P.M.KLUIN, P.M.JANSEN, C.J.L.M.MEIJER AND R.WILLEMZE

323 Rosai-Dorfman disease complicated by autoimmune haemolytic anaemia: case report and review of a multisystem disease with cutaneous infiltrates
S.A.GRABCZYNSKA, C.T.TOH, N.FRANCIS, C.COSTELLO AND C.B.BUNKER

327 Metastatic melanoma to the palatine tonsil with a favourable prognosis
S.WAKASUGI, T.KAGESHITA AND T.ONO

330 New mutations in keratin 1 that cause bullous congenital ichthyosiform erythroderma and keratin 2e that cause ichthyosis bullosa of Siemens
N.V.WHITTOCK, G.H.S.ASHTON, W.A.D.GRIFFITHS, R.A.J.EADY AND J.A.McGRATH

336 Aspirin enhances the induction of type I allergic symptoms when combined with food and exercise in patients with food-dependent exercise-induced anaphylaxis
S.HARADA, T.HORIKAWA, M.ASHIDA, T.KAMO, E.NISHIOKA AND M.ICHIHASHI

340 Methotrexate-responsive chronic idiopathic urticaria: a report of two cases
J.E.GACH, R.A.SABROE, M.W.GREAVES AND A.KOBZA BLACK

344 *Trichophyton rubrum* showing deep dermal invasion directly from the epidermis in immunosuppressed patients
K.J.SMITH, M.WELSH AND H.SKELTON

Correspondence

349 Spitz naevus showing clinical features of both granuloma pyogenicum and pigmented naevus.
H-S.JANG, J-H.CHA, C-K.OH AND K-S.KWON

350 Efficacy of basiliximab, a chimeric anti-interleukin-2 receptor monoclonal antibody, in a patient with severe chronic atopic dermatitis
M.K.KÄGI AND G.HEYER

351 Treatment of atopic dermatitis with mycophenolate mofetil
M.GRUNDMANN-KOLLMANN, R.KAUFMANN AND T.M.ZOLLNER

352 A comparison of the effect of narrow-band ultraviolet B in the treament of psoriasis after salt-water baths and after 8-methoxypsoralen baths
W.P.ARNOLD, P.VAN ANDEL, D.DE HOOP, L.DE JONG-TIEBEN AND M.VISSER-VAN ANDEL

354 Successful ultraviolet A1 treatment of cutaneous sarcoidosis
T.GRAEFE, H.KONRAD, U.BARTA, U.WOLLINA AND P.ELSNER

355 Eczéma craquelé resulting from acute oedema: a report of seven cases
M.BHUSHAN, N.H.COX AND R.J.G.CHALMERS

357 Linear erythema craquelé due to acute oedema in anorexia nervosa
N.ISHIGURO, D.HIROHARA, M.HOTTA, K.TAKANO AND M.KAWASHIMA

359 Lichenoid vasculitis associated with myeproliferative disorder: successful treatment with dapsone
T.C.LING, J.R.KENDRA, A.AL-DAWOUD AND I.H.COULSON

360 Granuloma faciale with extrafacial lesions
I.INANIR AND Y.ALVUR

362 Schönlein-Henoch purpura associated with losartan treatment and presence of antineutrophil cytoplasmic antibodies of x specificity
M.BROUARD, V.PIGUET, P.CHAVAZ AND L.BORRADORI

363 Chronic glomerulonephritis remarkably improved after surgery for acne conglobata of the buttocks
Y.SHIMOMURA, S. NOMOTO, S.YAMADA, A.ITO, K.ITO AND M.ITO

364 Dystrophic calcinosis cutis in venous ulcers: a cause of treatment failure
T.A.CHAVE, S.VARMA AND A.G.KNIGHT

365 Angiolymphoid hyperplasia with eosinophilia in the oral mucosa
H.TSUBOI, T.FUJIMURA AND K.KATSUOKA

366 Intraosseous epidermoid cyst mimicking psoriasis
K.BHAGWANDAS, N.NICOLAOU AND D.L.ROBERTS

368 Dose thresholds and local anhidrotic effect of botulinum A toxin injection (Dysport®)
E.MORARU, B.VOLLER, E.AUFF AND P.SCHNIDER

369 Xanthogranuloma is the archetype of non-Langerhans cell histiocytoses
B.W.H.ZELGER AND R.CERIO

370 Xanthogranuloma is the archetype of non-Langerhans cell histiocytoses: reply from author
A.C.CHU

371 Book reviews

372 News and Notices

373 Tenth Meeting of BEES (The British Epidermo-Epidemiology Society) – Programme and Abstracts

Volume 145, Number 3, September

377 Letter from the Editor
R.A.C.GRAHAM-BROWN

CONSORT update

378 CONSORT your submissions: an update for authors
A.D.ORMEROD

Topical review

380 What's new in atopic dermatitis?
D.J.LEEDY

Review article

385 The therapeutic use of topical contact sensitizers in benign dermatoses
D.A.BUCKLEY AND A.W.P.DU VIVIER

Original articles

406 Mucous membrane pemphigoid: HLA-DQB1*0301 is associated with all clinical sites of involvement and may be linked to antibasement membrane IgG production
J.SETTERFIELD, J.THERON, R.W.VAUGHAN, K.I.WELSH, E.MALLON, E.WOJNAROWSKA, S.J.CHALLACOMBE AND M.M.BLACK

415 Impaired responses to peripheral blood mononuclear cells to T-cell stimulants in alopecia areata patients with a poor response to topical immunotherapy
T.YOSHINO, H.ASADA, Y.ANDO, H.FUJII, Y.YAMAGUCHI, K.YOSHIKAWA AND S.ITAMI

422 A study of apolipoproteins E and A–I in cutaneous amyloid
Y.T.CHANG, S.E.TSAI, W.J.WANG, C.J.HONG, C.Y.HUANG AND C.K.WONG

428 Evaluation of diagnostic criteria for atopic dermatitis: validity of the criteria of Williams *et al* in a hospital-based setting
H.GU, X.S.CHEN, K.CHEN, Y.YAN, H.JING, X.Q.CHEN, C.G.SHAO AND G.Y.YE

434 Cutaneous larva migrans: clinical features and management of 44 cases presenting in the returning traveller
V.BLACKWELL AND F.VEGA-LOPEZ

438 Efficacy of sirolimus (rapamycin) administered concomitantly with a subtherapeutic dose of cyclosporin in the treatment of severe psoriasis: a randomized controlled trial
S.REITAMO, P.SPULS, B.SASSOLAS, M.LAHFA, A.CLAUDY AND C.E.M.GRIFFITHS FOR THE SIROLIMUS EUROPEAN PSORIASIS STUDY GROUP

446 Long-term efficacy of antifungals in toenail onychomycosis: a critical review
B.J.CRIBIER AND C.PAUL

453 Occupational skin diseases in Northern Bavaria between 1990 and 1999: a population-based study
H.DICKEL, O.KUSS, C.R.BLESIUS, A.SCHMIDT AND T.L.DIEPGEN

463 A clinical and therapeutic study of 29 patients with infantile acne
W.J.CUNLIFFE, S.E.BARON AND I.H.COULSON

467 A follow-up study of recurrence and cosmesis in completely responding superficial and nodular basal cell carcinomas treated with methyl 5-aminolaevulinate-based photodynamic therapy alone and with prior curettage
A.M.SOLER, T.WARLOE, A.BERNER AND K.E.GIERCKSKY

Concise communications

472 Is the efficacy of psoralen plus ultraviolet A therapy for vitiligo enhanced by concurrent topical calcipotriol? A placebo-controlled double-blind study
O.ERMIS, E.ALPSOY, L.CETIN AND E.YILMAZ

476 Topical calcipotriol as monotherapy and in combination with psoralen plus ultraviolet A in the treatment of vitiligo
M.AMEEN, V.EXARCHOU AND A.C.CHU

Case reports

480 Ultrastructural features resembling those of harlequin ichthyosis in patients with severe congenital ichthyosiform erythroderma
E.VIROLAINEN, K-M.NIEMI, A.GANEMO, J.KERE, A.VAHLQUIST AND U.K.SAARIALHO-KERE

484 Sporotrichoid phaeohyphomycosis due to *Alternaria infectoria*
R.GERDSEN, M.UERLICH, G.S.DE HOOG, T.BIEBER AND R.HORRE

487 A case of gnathostomiasis in a European traveller returning from Mexico
P.DEL GIUDICE, P.DELLAMONICA, J.DURANT, V.RAHELINRINA, M.P.GROBUSCH, K.JANITSCHKE, A.DAHAN-GUEDJ AND Y.LE FICHOUX

490 Flexural erythematous eruption following autologous peripheral blood stem cell transplantation: a study of four cases
V.BRAZZELLI, M.ARDIGO, M.G.CHIESA, C.VASSALLO, M.VARETTONI, R.G.BORRONI, E.P.ALESSANDRINO AND G.BORRONI

496 Epithelioid blue naevus of the genital mucosa: a report of four cases
M.J.IZQUIERDO, M.A.PASTOR, L.CARRASCO, C.MORENO, H.KUTZNER, O.P.SANGUEZA AND L.REQUENA

502 Topical 5-aminolaevulinic acid photodynamic therapy for extensive scalp actinic keratoses
T.MARKHAM AND P.COLLINS

Correspondence

505 Carcinoma arising in epidermoid cyst: a case series and aetiological investigation of human papillomavirus
M.B.MORGAN, G.L.STEVENS, S.SOMACH AND M.TANNENBAUM

506 Oral acanthosis nigricans, the sign of Leser-Trélat and cholangiocarcinoma
C.SCULLY, W.A.BARRETT, J.GILKES, M.REES, M.SARNER AND R.J.SOUTHCOTT

508 Naevoid basal cell carcinoma syndrome with a palmar epidermoid cyst, milia and maxillary cysts
K.OGATA, M.IKEDA, K.MIYOSHI, Y.YAMAMOTO, T.YAMAMOTO, T.OSAKI, E.MICHIMUKAI, Y.TANAKA, A.SAKAMOTO, T.OAKAMOTO AND H.KODAMA

509 Hydroa vacciniforme with latent Epstein–Barr virus infection
T.OHTSUKA, H.OKITA, S.OTSUKA, A.YAMAKAGE AND S.YAMAZAKI

510 Primary brain B-cell lymphoma developing in a patient with pemphigus vulgaris receiving immunosuppressive drugs
A.C.BUSQUETS, S.JEAN-BAPTISTE AND L.S.CHAN

512 Acral pseudolymphomatous angiokeratoma of children: a pseudolymphoma rather than an angiokeratoma
T.MURAKAMI, M.OHTSUKI AND H.NAKAGAWA

514 Eosinophilic pustular folliculitis treated with naproxen
C.S.YOUN AND K.H.CHO

515 Second case of papular–purpuric gloves-and-socks syndrome related to hepatitis B infection
A.VÉLEZ, R.FERNÁNDEZ-DE-LA-PUEBLA AND J-C.MORENO

516 Chronic urticaria associated with dental infection
T.SONODA, T.ANAN, K.ONO AND S.YANAGISAWA

518 Chronic dermatophytosis in lamellar ichthyosis: relevance of a T-helper 2-type immune response to *Trichophyton rubrum*?
R.J.LUDWIG, J.A.WOODFOLK, M.GRUNDMANN-KOLLMANN, R.ENZENSBERGER, U.RUNNE, T.A.E.PLATTS-MILLS, R.KAUFMANN AND T.M.ZOLLNER

521 Onychomadesis and onycholysis associated with capecitabine
G-Y.CHEN, Y-H.CHEN, M.M.L.HSU, C-J.TSAO AND W-C.CHEN

522 Lichen planopilaris coexisting with erythema dyschromicum perstans
A.METIN, Ö.ÇALKA AND S.UGRAS

524 Book review

525 News and Notices

Volume 145, Number 4, October

Topical review

527 Current concepts in contact dermatitis
J.ENGLISH

Original articles

530 Plasma concentrations of lignocaine and prilocaine after a 24-h application of analgesic cream (EMLA®) to leg ulcers
B.STYMNE AND S.LILLIEBORG

535 The wound-healing effect of a glycoprotein fraction isolated from aloe vera
S-W.CHOI, B-W.SON, Y-S.SON, Y-I.PARK, S-K.LEE AND M-H.CHUNG

546 Oral liarozole in the treatment of palmoplantar pustular psoriasis: a randomized, double-blind, placebo-controlled study
M.BHUSHAN, A.D.BURDEN, K.McELHONE, R.JAMES, F.P.VANHOUTTE AND C.E.M.GRIFFITHS

554 Cryotherapy of viral warts: a sustained 10-s freeze is more effective than the traditional method
M.CONNOLLY, K.BAZMI, M.O'CONNELL, J.F.LYONS AND J.E.BOURKE

558 Keratin K6irs is specific to the inner root sheath of hair follicles in mice and humans
R.M.PORTER, L.D.CORDEN, D.P.LUNNY, E.J.D.SMITH, E.B.LANE AND W.H.I.McLEAN

569 Differential regulation of transforming growth factor β receptors type I and II by platelet-derived growth factor in human dermal fibroblasts
J.CZUWARA-LADYKOWSKA, E.A.GORE, D.A.SHEGOGUE, E.A.SMITH AND M.TROJANOWSKA

576 β-catenin expression in pilomatrixomas. Relationship with β-catenin gene mutations and comparison with β-catenin expression in normal hair follicles
G.MORENO-BUENO, C.GAMALLO, L.PÉREZ-GALLEGO, F.CONTRERAS AND J.PALACIOS

582 The potential role of abnormal E-cadherin and α-, β- and γ-catenin immunoreactivity in the determination of the biological behaviour of keratocanthoma
E.PAPADAVID, M.PIGNATELLI, S.ZAKYNTHINOS, T.KRAUSZ AND A.C.CHU

590 Dermal fluid translocation is an important determinant of the diurnal variation in human skin thickness
K.TSUKAHARA, Y.TAKEMA, S.MORIWAKI, T.FUJIMURA AND G.IMOKAWA

597 Photoallergic contact dermatitis is uncommon
A.DARVAY, I.R.WHITE, R.J.G.RYCROFT, A.B.JONES, J.L.M.HAWK AND J.P.McFADDEN

602 Outdoor activities in childhood: a protective factor for cutaneous melanoma? Results of a case–control study in 271 matched pairs
P.KASKEL, S.SANDER, M.KRON, R.U.PETER AND G.KRÄHN

610 Social coping strategies associated with quality of life decrements among psoriasis patients
S.R.RAPP, C.A.COTTRELL AND M.R.LEARY

617 Factors associated with patient satisfaction with care among dermatological outpatients
C.RENZI, D.ABENI, A.PICARDI, E.AGOSTINI, C.EMELCHI, P.PASQUINI, P.PUDDU AND M.BRAGA

Concise communications

624 β-Catenin expression in the transitional cell zone of pilomatricoma
S-W.PARK, K-S.SUH, H-Y.WANG, S-T.KIM AND H-S.SUNG

630 A simple and sensitive test for diagnosis of postkala-azar dermal leishmaniasis
P.SALOTRA, G.SREENIVAS, V.RAMESH AND S.SUNDAR

Case reports

633 Serological and immunohistochemical detection of human herpesvirus 8 in Kaposi's sarcoma after immunosuppressive therapy for bullous pemphigoid
K.C.SATO-MATSUMURA, T.MATSUMURA, N.NABESHIMA, H.KATANO, T.SATA AND H.KOIZUMI

638 Cercarial dermatitis contracted via contact with an aquarium: case report and review
R.FÖLSTER-HOLST, R.DISKO, J.RÖWERT, W.BÖCKELER, I.KREISELMAIER AND E.CHRISTOPHERS

641 Hereditary benign telangiectasia: image analysis of hitherto unknown association with arteriovenous malformation
Y.ONISHI, K.OHARA, Y.SHIKADA AND H.SATOMI

646 The diagnostic quandary of hereditary haemorrhagic telangiectasia vs. CREST syndrome
J.B.LEE, D.BEN-AVIV AND S.P.COVELLO

650 Gemcitabine-associated CD8+ CD30+ pseudolymphoma
G.MARUCCI, E.SGARBANTI, A.MAESTRI, C.CALANDRI AND G.COLLINA

653 Malignant transformation of multiple dermal cylindromas
B.K.DURANI, H.KURZEN, A.JAECKEL, N.KUNER, N.NAEHER AND W.HARTSCHUH

657 Loricrin keratoderma: a cause of congenital ichthyosiform erythroderma and collodion baby
K.MATSUMOTO, M.MUTO, S.SEKI, T.SAIDA, N.HORIUCHI, H.TAKAHASHI, A.ISHIDA-YAMAMOTO AND H.IIZUKA

661 Effect of granulocyte macrophage colony-stimulating factor in a patient with benign systemic mastocytosis
T.ZUBERBIER, P.WELKER, J.GRABBE AND B.M.HENZ

Correspondence

667 Current causes of fixed drug eruption in the U.K.
J.A.SAVIN

668 Cutaneous nasal-type CD56+ natural killer/T-cell lymphoma preceded by Epstein–Barr virus antigenaemia
S-E.CHANG, J.H.CHOI, K.J.SUNG, K.C.MOON AND J.K.KOH

669 Remission of epidermodysplasia verruciformis-like skin eruption after highly active antiretroviral therapy in a human immunodeficiency virus-positive patient
N.HAAS, P.G.FUCHS, B.HERMES AND B.M.HENZ

670 Bullous pemphigoid arising in surgical wounds
C.K.ANDERSON, C.M.MOWAD, M.E.GOFF AND M.T.PELLE

672 Cutaneous tophi and calcinosis diagnosed *in vivo* by Raman spectroscopy
M.GNIADECKA, H.C.WULF, C.K.JOHANSSON, S.ULLMAN, P.HALBERG AND K.ROSSEN

674 Serum levels of interleukin-18 are increased in patients with cutaneous T-cell lymphoma and cutaneous natural killer-cell lymphoma
Y.AMO, Y.OHTA, Y.HAMADA AND K.KATSUOKA

676 Elevated circulating soluble CD30 levels in patients with polymyositis/dermatomyositis
N.YAZAWA, H.HIN, K.YAMANE, M.KUBO, M.FUJIMOTO, K.KIKUCHI, Y.SOMA AND K.TAMAKI

678 Eosinophilic cellulitis associated with squamous cell carcinoma of the bronchus
C.W.FARRAR, D.M.GUERIN AND N.J.E.WILSON

680 Immunoglobulin heavy chain variable region family expression in primary cutaneous B-cell lymphomas
F.J.CHILD, R.RUSSELL-JONES, A.J.WOOLFORD, E.CALONJE AND S.J.WHITTAKER

680 Intralesional steroids reduce inflammation from extravasated chemotherapeutic agents
S.W.WHANG, S.H.LEE, P.M.ELIAS, K.R.FEINGOLD, E.H.CHOI AND S.K.AHN

682 Multiple minute parakeratotic keratoses of the hands in a patient with systemic lupus erythematosus
Y-C.LIN, H-C.CHIU AND M-T.CHUAN

684 Cat scratch responsible for primary cutaneous *Nocardia asteroides* in an immunocompetent patient
L.ASTUDILLO, L.SAILLER, M.CARREIRO, S.DAHAN, G.ESCOURROU, S.OLLIER AND P.ARLET

685 A further case of plantar squamous cell carcinoma arising in Olmsted syndrome
Y.YOSHIZAKI, H.KANKI, T.UEDA, M.ICHIHASHI AND M.UEDA

687 Endonyx onychomycosis due to *Trichophyton soudanense* in two Somalian siblings
C.L.FLETCHER, M.K.MOORE AND R.J.HAY

689 Book review

689 News and notices

Volume 145, Number 5, November

Topical review

691 What is new in therapy?
A.D.ORMEROD

Original articles

696 Testing for irritation with a multifactorial approach: comparison of eight non-invasive measuring techniques on five different irritation types
J.W.FLUHR, O.KUSS, T.DIEPGEN, S.LAZZERINI, A.PFLOSI, M.GLOOR AND E.BERARDESCA

704 Irritant patch testing with sodium lauryl sulphate: interrelation between concentration and exposure time
J.ARAMAKI, C.LÖFFLER, S.KAWANA, I.EFFENDY, R.HAPPLE AND H.LÖFFLER

709 Quantitative assessment of primary skin irritants *in vitro* in a cytotoxicity model. Comparison with *in vivo* human irritation tests
K.P.WILHELM, B.BÖTTJER AND C-P.SIEGERS

716 Mitigation of stress-induced suppression of contact hypersensitivity by odorant inhalation
J.HOSOI, M.TANIDA AND T.TSUCHIYA

720 Tissue eosinophilia in acute and chronic atopic dermatitis: a morphometric approach using quantitative image analysis of immunostaining
P.KIEHL, K.FALKENBERG, M.VOGULBRUCH AND A.KAPP

730 Atopic eczema and the home environment
N.J.McNALLY, H.C.WILLIAMS AND D.R.PHILLIPS

737 Purification of natural antikeratin autoantibodies from normal human serum and their effect on human keratinocytes cultured *in vitro*
C-X.LI, Y-H.WAN, S-M.CHI, G.WANG, L-C.SUN, Y-G.ZHANG, X-D.ZHAO, F-W.GAO AND Y-F.LIU

749 Cytochrome P450 4A11 expression in human keratinocytes: effects of ultraviolet irradiation
M-C.GONZALEZ, C.MARTEAU, J.FRANCHI AND D.MIGLIORE-SAMOUR

758 Localization of sphingomyelin during development of dorsal and tail epidermis of mice
Y.YOSHIDA, K.YONEDA, M.UMEDA, C.IDE AND K.FUJIMOTO

771 Immunohistochemical detection for nuclear β-catenin in sporadic basal cell carcinoma
E.YAMASAKI, Y.ARAGANE, A.KAWADA AND T.TESUKA

778 Cicatricial pemphigoid: IgA and IgG autoantibodies target epitopes on both intra- and extracellular domains of bullous pemphigoid antigen 180
E.SCHMIDT, C.SKROBEK, A.KROMMINGA, T.HASHIMOTO, G.MESSER, E.-B.BRÖCKER, K.B.YANCEY AND D.ZILLIKENS

784 Audit of a melanoma screening day in the U.K.: clinical results, participant satisfaction and perceived value
S.A.HOLME, S.VARMA, M.M.U.CHOWDHURY AND D.L.ROBERTS

789 New sunscreens confer improved protection for photosensitive patients in the blue light region
H.MOSELEY, H.CAMERON, T.MacLEOD, C.CLARK, R.DAWE AND J.FERGUSON

795 An open study of a lotion formulation to improve tolerance of tacrolimus in facial atopic dermatitis
H.SUGIURA, M.UEHARA, N.HOSHINO AND A.YAMAJI

799 Experimental studies on the antiviral agent famciclovir in Behçet's disease symptoms in ICR mice
S.SOHN, D.BANG, E-S.LEE, H.J. KWON, S.LEE AND S.LEE

Concise communications

805 HLA-DQB1 alleles in Italian patients with mucous membrane pemphigoid predominantly affecting the oral cavity
M.CARROZZO, M.E.FASANO, R.BROCCOLETTI, M.CARBONE, E.COZZANI, S.RENDINE, S.ROGGERO, A.PARODI AND S.GANDOLFO

809 Expression of inducible nitric oxide synthase and nitrotyrosine in borderline leprosy lesions
T.SCHÖN, R.H.HERNANDEZ-PANDO, Y.NEGESSE, R.LEEKASSA, T.SUNDQVIST AND S.BRITTON

Case reports

816 Vancomycin-induced linear IgA disease with autoantibodies to BP180 and LAD285
R.A.PALMER, G.OGG, J.ALLEN, A.BANERJEE, K.S.RYATT, R.RATNAVEL AND E.WOJNAROWSKA

821 Anaphylaxis to 5-methoxypsoralen during photochemotherapy
F.J.LEGAT, P.WOLF AND B.KRÄNKE

823 Bullous and non-bullous ichthyosiform erythroderma associated with generalized pustular psoriasis of von Zumbusch type
S.INGEN-HOUSZ-ORO, M.D.VIGNON-PENNAMEN AND C.BLANCHET-BARDON

826 Multiple idiopathic mucocutaneous neuromas: a new entity?
E.TRUCHOT, P.GREZARD, F.WOLF, B.BALME AND H.PERROT

830 Eccrine poromas in a patient with mycosis fungoides treated with electron beam therapy
M.KUROKAWA, M.AMANO, H.MIYAGUNI, S.TATEYAMA, K.OGATA, M.IDEMORI AND M.SETOYAMA

834 Benign glandular schwannoma
Y-C.KIM, H-J.PARK, Y-W.CINN AND D.P.VANDERSTEEN

Correspondence

838 Pemphigus vulgaris with autoantibodies to desmoplakin
S-C.KIM, Y.L.CHUNG, J.KIM, N.J.CHO AND M.AMAGAI

840 Differential expression of transforming growth factor-β receptors in squamous cell carcinoma
M.KUBO, H. IHN, K.YAMANE, Y.ASANO, M.JINNIN AND K.TAMAKI

842 Hair loss after terbinafine treatment
B.RICHERT, L.UHODA AND M.DE LA BRASSINNE

842 Oral cyclosporin does not arrest progression of androgenetic alopecia
J.GREEN AND R.D.SINCLAIR

845 Angiomatoid Spitz naevus: a close simulator of regressing malignant melanoma
G.FABRIZI AND G.MASSI

846 Reactive multiple keratoacanthoma in a patient with chronic renal insufficiency
M.KARAKAŞ, S.HOMAN, M.BABA, M ÖZPOYRAZ, M.A.ACAR AND H.R.MEMİŞOĞLU

847 Anaplastic transformation of classic Kaposi's sarcoma: clinicopathological study of five cases
R.SATTA, S.COSSU, G.MASSARELLI AND F.COTTONI

849 Delayed skin reaction to Red Sea coral injury showing superficial granulomas and atypical CD30+ lymphocytes: report of a case
C.MIRACCO, A.V.LALINGA, P.SBANO, P.RUBEGNI AND C.ROMANO

851 An unusual presentation of macular amyloidosis
I.AHMED, R.CHARLES-HOLMES AND M.M.BLACK

852 Pyoderma gangrenosum, subcorneal pustular dermatosis, IgA paraproteinaemia and IgG antiepithelial antibodies
T.A.CHAVE AND P.E.HUTCHINSON

854 Inhibition of human gelatinases (matrix metalloproteinase-2 and matrix metalloproteinase-9) activity by zinc oxide: a possible mechanism to enhance wound healing
M.C.L.G.SANTOS, A.P.SOUZA, R.EGERLACH, C.M.TABCHOURY AND S.R.PLINE

855 Yellow nails associated with gold therapy for rheumatoid arthritis
M.A.B ROEST AND R.RATNAVEL

856 Angio-oedema caused by high doses of *N*-acetylcysteine in patients with anticonvulsant hypersensitivity syndrome
S.TAS, T.SIMONART AND M.HEENEN

857 Book review

858 Erratum

858 News and Notices

Volume 145, Number 6, December

Topical review

859 Antibodies targeting extractable nuclear antigens: historical development and current knowledge
J.WENZEL, R.GERDSEN, M.UERLICH, R.BAUER, T.BIEBER AND I.BOEHM

Review article

868 Alterations in molecular killing mechanisms: implications in skin disease
G.DE PANFILIS

Original articles

877 Guidelines for care of contact dermatitis
J.BOURKE, I.COULSON AND J.ENGLISH

886 A systematic review of antistreptococcal interventions for guttate and chronic plaque psoriasis
C.M.OWEN, R.J.G.CHALMERS, T.O'SULLIVAN AND C.E.M.GRIFFITHS

891 A systematic review of treatments for guttate psoriasis
R.J.G.CHALMERS, T.O'SULLIVAN, C.M OWEN AND C.E.M.GRIFFITHS

895 The mechanism of hyperpigmentation in seborrhoeic keratosis involves the high expression of endothelin-converting enzyme-1α and TNF-α, which stimulate secretion of endothelin 1
I.MANAKA, S.KADONO, M.KAWASHIMA, T.KOBAYASHI AND G.IMOKAWA

904 Can we use video images to triage pigmented lesions?
V.M.L.JOLLIFFE, D.W.HARRIS, R.MORRIS, P.WALLACE AND S.J.WHITTAKER

911 Patient satisfaction with teledermatology is related to perceived quality of life
T.L.WILLIAMS, C.R.MAY, A.ESMAIL, C.E.M.GRIFFITHS, N.T.SHAW, D.FITZGERALD, E.STEWART, M.MOULD, M.MORGAN, L.PICKUP AND S.KELLY

918 Numerical, morphological and phenotypic changes in Langerhans cells in the course of murine graft-versus-host disease
K.ASAGOE, K.TAKAHASHI, T.YOSHINO, E.KONDO, R.TANAKA, J.ARATA AND T.AKAGI

928 Proapoptotic and antiapoptotic markers in cutaneous T-cell lymphoma skin infiltrates and lymphomatoid papulosis
H.NEVALA, L.KARENKO, L.VÄKEVÄ AND A.RANKI

938 Cutaneous elimination of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin
A.GEUSAU, E.TSCHACHLER, M.MEIXNER, O.PÄPKE, G.STINGL AND M.McLACHLAN

944 Pituitary–adrenal function following dexamethasone–cyclophosphamide pulse therapy for pemphigus
L.KUMRAH, M.RAMAM, P.SHAH, R.M.PANDEY AND J.S.PASRICHA

949 Basal cell carcinoma follow-up practices by dermatologists: a national survey
C.P.R.BOWER, J.T.LEAR AND D.A.DE BERKER

957 Heterogeneity within tissue-specific macrophage and dendritic cell populations during cutaneous inflammation in atopic dermatitis
R.C.M.KIEKENS, T.THEPEN, A.J.OOSTING, I.C.BIHARI, J.G.J.VAN DE WINKEL, C.A.F.M.BURIJNZEEL-KOOMEN AND E.F.KNOL

966 Trends in the prevalence of atopic dermatitis in school children: longitudinal study in Osaka Prefecture, Japan, from 1985 to 1997
A.YURA AND T.SHIMIZU

974 Mycosis fungoides: HLA class II associations among Ashkenazi and non-Ashkenazi Jewish patients
E.HODAK, M.LAPIDOTH, Y.KOHN, M.DAVID, C.BRAUTBAR, B.KFIR, R.NARINSKI, C.SAFIRMAN, I.MARON AND T.KLEIN

981 Risk of second primary malignancies in patients with cutaneous melanoma
M-H.SCHMID-WENDTNER, J.BAUMERT, C-M.WENDTNER, G.PLEWIG AND M.VOLKENANDT

Concise communications

986 False-negative results in immunoblot assay of serum IgA antibodies reactive with the 180-kDa bullous pemphigoid antigen: the importance of primary incubation temperature
H.H.PAS, G.J.KLOOSTERHUIS, M.C.J.M.DE JONG AND M.E.JONKMAN

990 Lack of association between hepatotropic transfusion transmitted virus infection and oral lichen planus in British and Italian populations
C.BEZ, R.HALLETT, M.CARROZZO, G.LODI, S.GANDOLFO, A.CARRASSI, C.SCULLY AND S.PORTER

Case reports

994 Bullous pemphigoid in pregnancy: contrasting behaviour in two patients
B.C.GEE, J.ALLEN, N.P.KHUMALO AND F.WOJNAROWSKA

998 Cicatricial pemphigoid with circulating autoantibodies to β4 integrin, bullous pemphigoid 180 and bullous pemphigoid 230
M.LEVERKUS, K.BHOL, Y.HIRAKO, H.PAS, C.SITARU, G.BAIER, E.B.BRÖCKER, M.E.JONKMAN, A.R.AHMED AND D.ZILLIKENS

1005 Hypertrophic scar formation following carbon dioxide laser ablation of plantar warts in cyclosporin-treated patients
S.M.OZLUER, B.Y.CHUEN, R.J.BARLOW AND A.C.MARKEY

1008 Vitiligo-like leucoderma during photochemotherapy for mycosis fungoides
D.MIMOUNI, M.DAVID, M.FEINMESSER, C.I.COIRE AND E.HODAK

1015 Generalized vitiligo after lymphocyte infusion for relapsed leukaemia
W.Y.AU, C.K YEUNG, H.H.CHAN AND A.K.LIE

1018 Eumycetoma due to *Madurella mycetomatis* acquired in Jamaica
C.L.FLETCHER, M.K.MOORE AND R.J.HAY

Correspondence

1022 Successful topical immunotherapy of bowenoid papulosis with imiquimod
W.PETROW, R.GERDSEN, M.UERLICH, O.RICHTER AND T.BIEBER

1023 The eclipse naevus: tan centre with stellate brown rim
J.V.SCHAFFER, E.J.GLUSAC AND L.J.BOLOGNIA

1026 Acute generalized exanthematous pustulosis induced by icodextrin
I.A.AL-HOQAIL AND R.I.CRAWFORD

1027 The effect of treatment on serum levels of soluble intercellular adhesion molecules and tumour necrosis factor-receptor 1 in psoriasis
B.KIRBY, M.J.BOFFA, N.NAYAK, W.M.GALLATIN, S.MARTIN AND C.E.M.GRIFFITHS

1028 Assessment of acitretin-treated female patients of childbearing age and subsequent risk of teratogenicity
H.MAIER AND H.HÖNIGSMANN

1030 Why ultraviolet protection with clothing makes sense
P.KASKEL

1030 Melanoma tumour markers S100B and MIA: evaluation of stability in serum and blood upon storage and processing
D.DJUKANOVIC, U.HOFMANN, A.SUCKER AND D.SCHADENDORF

1031 Decreased expression of Fas (APO-1/CD95) on lesional CD4+ T lymphocytes in cutaneous T cell lymphomas: correlations with blood data
O.DEREURE, P.PORTALES, J.CLOT AND J-J.GUILHOU

1033 Multicentric reticulohistiocytosis associated with idiopathic myelofibrosis
N.H.COX, N.C.WEST AND A.W.POPPLE

1034 Pubic trichotillomania in an adult man
J.MAZUECOS, A.RODRIGUEZ-PICHARDO AND F.CAMACHO

1035 Book review

1036 News and notices

1037 Author index

1052 Subject index